

Type: Full
Date: 04/08/24
Time: 10:49:26
Report: 8074241062

Food and Beverage Establishment Inspection Report

Page 1

Location:

Colville Family Center
269 East Fifth Street
Red Wing, MN55066
Goodhue County, 25

Establishment Info:

ID #: 0024220
Risk: Low
Announced Inspection: No

License Categories:

FBLB, HOSP, FBSC, FBC2

Expires on: 12/31/24

Operator:

Red Wing Public School Distric

Phone #: 6513854583
ID #: 30832

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

No NEW orders were issued during this inspection.

Surface and Equipment Sanitizers

Hot Water: = at 174 Degrees Fahrenheit
Location: dish machine internal
Violation Issued: No

Food and Equipment Temperatures

Process/Item: Hot Holding
Temperature: 154 Degrees Fahrenheit - Location: hot dog
Violation Issued: No

Process/Item: Hot Holding
Temperature: 184 Degrees Fahrenheit - Location: bean
Violation Issued: No

Process/Item: Upright Cooler
Temperature: 38 Degrees Fahrenheit - Location: cottage cheese
Violation Issued: No

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	0	0

License application for second inspection left during inspection.

Type: Full
Date: 04/08/24
Time: 10:49:26
Report: 8074241062
Colville Family Center

Food and Beverage Establishment Inspection Report


NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Minnesota Department of Health inspection report number 8074241062 of 04/08/24.

Certified Food Protection Manager Shelia Bergin

Certification Number: FM91789 Expires: 12/03/23

Signed: _____
Establishment Representative

Signed:  _____
Andrea Kieffer

Rochester District Office