

Type: Full  
Date: 03/06/24  
Time: 09:52:53  
Report: 8074241049

## Food and Beverage Establishment Inspection Report

Page 1

**Location:**

Sunnyside School  
Independent School District #2  
1669 Southwood Avenue  
Red Wing, MN55066  
Goodhue County, 25

**Establishment Info:**

ID #: 0024223  
Risk: High  
Announced Inspection: No

**License Categories:**

FAIF, FBLB, HOSP, FBSC, FBC2

Expires on: 12/31/24

**Operator:**

Red Wing Public School Distric

Phone #: 6513854583  
ID #: 30832

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders previously issued on 05/03/23 have NOT been corrected.

### 6-100 Physical Facility Construction Materials

#### 6-101.11A1

MN Rule 4626.1325A1 Provide smooth, durable, and easily cleanable floor, wall and ceiling surfaces.

CEILING TILE MISSING IN DRY STORAGE

3/6/24: REISSUED

Issued on: 05/03/23

Comply By: 05/05/23

No NEW orders were issued during this inspection.

### Surface and Equipment Sanitizers

Hot Water: = at 165 Degrees Fahrenheit

Location: dish machine internal

Violation Issued: No

### Food and Equipment Temperatures

Process/Item: Cooking

Temperature: 156 Degrees Fahrenheit - Location: broccoli

Violation Issued: No

Process/Item: Hot Holding

Temperature: 177 Degrees Fahrenheit - Location: cheese stick

Violation Issued: No

Type: Full  
Date: 03/06/24  
Time: 09:52:53  
Report: 8074241049  
Sunnyside School

# Food and Beverage Establishment Inspection Report

---

Process/Item: Hot Holding  
Temperature: 181 Degrees Fahrenheit - Location: sauce  
Violation Issued: No

---

Process/Item: Walk-In Cooler  
Temperature: 41 Degrees Fahrenheit - Location: milk  
Violation Issued: No

---

Process/Item: Work Top Cooler  
Temperature: 38 Degrees Fahrenheit - Location: sauces  
Violation Issued: No

---

Process/Item: Upright Cooler  
Temperature: 38 Degrees Fahrenheit - Location: lettuce  
Violation Issued: No

---

Process/Item: Milk Carton Server  
Temperature: 34 Degrees Fahrenheit - Location:  
Violation Issued: No

---

---

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	0	1

Establishment Info:

Email reports to: [jlstern@rws.k12.org](mailto:jlstern@rws.k12.org)

Spring 2019 sent: sharing table information

**NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.**

I acknowledge receipt of the Minnesota Department of Health inspection report number 8074241049 of 03/06/24.

Certified Food Protection Manager Barbara Kay Smith

Certification Number: FM81613 Expires: 12/12/24

**Inspection report reviewed with person in charge and emailed.**

Signed: \_\_\_\_\_  
Establishment Representative

Signed: \_\_\_\_\_  
Andrea Kieffer

Rochester District Office