

Type: Full
Date: 04/16/25
Time: 11:54:52
Report: 8074251061

Food and Beverage Establishment Inspection Report

Page 1

Location:

Twin Bluff Middle School
2120 Twin Bluff Road
Red Wing, MN55066
Goodhue County, 25

Establishment Info:

ID #: 0024222
Risk: High
Announced Inspection: No

License Categories:

FAIF, FBLB, HOSP, FBSC, FBSW, FBC2

Expires on: 12/31/25

Operator:

Red Wing Public School Distric

Phone #: 6513854583
ID #: 30832

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

4-500 Equipment Maintenance and Operation

4-501.11AB

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

Freezer has ice building up below fan.

Comply By: 04/16/25

Surface and Equipment Sanitizers

Quaternary Ammonia: = 200ppm at Degrees Fahrenheit

Location: sanitizer bucket

Violation Issued: No

Hot Water: = at 171 Degrees Fahrenheit

Location: internal dish machine

Violation Issued: No

Food and Equipment Temperatures

Process/Item: Hot Holding

Temperature: 170 Degrees Fahrenheit - Location: rice

Violation Issued: No

Process/Item: Hot Holding

Temperature: 140 Degrees Fahrenheit - Location: rice

Violation Issued: No

Process/Item: Hot Holding

Temperature: 136 Degrees Fahrenheit - Location: chicken

Violation Issued: No

Type: Full
Date: 04/16/25
Time: 11:54:52
Report: 8074251061
Twin Bluff Middle School

Food and Beverage Establishment Inspection Report

Page 2

Process/Item: Hot Holding
Temperature: 145 Degrees Fahrenheit - Location: chicken
Violation Issued: No

Process/Item: Cooking
Temperature: 180 Degrees Fahrenheit - Location: rice
Violation Issued: No

Process/Item: Milk Cooler
Temperature: 37 Degrees Fahrenheit - Location:
Violation Issued: No

Process/Item: Upright Cooler
Temperature: 40 Degrees Fahrenheit - Location: cheese
Violation Issued: No

Process/Item: Walk-In Cooler
Temperature: 40 Degrees Fahrenheit - Location: milk, orange
Violation Issued: No

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	0	1

Establishment Info:

KITCHEN: gafischbach@rwps.org

POOL: dhfeatherstone@rwps.org; npbeierman@rwps.org; telindquist@rwps.org

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Minnesota Department of Health inspection report number 8074251061 of 04/16/25.

Certified Food Protection Manager Gwen Fischbach

Certification Number: FM14297 Expires: 08/22/26

Inspection report reviewed with person in charge and emailed.

Signed: _____
Establishment Representative

Signed: 
Andrea Kieffer

Rochester District Office